# **PD140**E

## NEW GENERATION COMPACT HAND HELD METAL DETECTOR

## FEATURES

- Fully Compliant with NIJ Standard 0602.02
- Compact, Elegant, Robust and Ergonomic
- Uniform Detection of Magnetic and Non-Magnetic Targets
- Full Digital Design: Consistent Performance and Calibration-Free Operations
- Extended Continuous Operation Time
- Programmable Sensitivity
- Indoor and Outdoor Operations

## **Applications**

Beiar |

🗹 Airports

www.ceia.net

- ✓ Correctional Facilities
- ☑ Law Enforcement
- 🗹 Government Buildings
- ✓ Nuclear Facilities
- ✓ Loss Prevention
- ✓ Public Events
- ✓ Schools Security





Tel.: +39 0575 4181 Fax: +39 0575 418298 e-mail: infosecurity@ceia-spa.com

www.cela.net

Threat Detection through Electromagnetics

CEIA reserves the right to make changes, at any moment and without notice, to the models (including programming), their accessories and options, to the prices and conditions of sale

#### PD140E New Generation Compact Hand Held Metal Detector

The *PD140E* is a Hand Held Metal Detector that combines high reliability and ergonomics with advanced detection and operator signaling features. Effective sensitivity to all metals, full compliance with the latest Security Standards and high immunity to external metal masses are among the main peculiarities of this new device.

#### ☑ COMPACT, ELEGANT, ROBUST AND ERGONOMIC

The PD140E features a special ergonomic design consisting of an offset hand grip which ensures that the operator's hand does not interfere with the sensitive detection area. Special care has gone into the mechanical design of the detector. Absence of sharp edges or corners allows the detector to be passed smoothly over the inspected area without getting caught in buttons, buckles, folds or other parts of clothing.

#### ✓ NIJ STANDARD 0602.02 COMPLIANT

The technical features of the detector comply with the NIJ standard 0602.02 and the new NIJ draft standard 0602.03. The PD140E has uniform sensitivity to magnetic and non-magnetic targets including those made of stainless steel. At the same time the detector offers excellent body-effect compensation and has high immunity to external disturbance from electromagnetic and mechanical sources.

#### **FULL DIGITAL DESIGN**

The PD140E is fully digital. Electronic functions include a magnetic field transmitter-receiver based on Digital Signal Processing (DSP) technology. This design, combined with a special printed antenna, ensures consistent performance, very high reliability and calibration-free operations.

#### ☑ LATEST PLASTIC MATERIALS TECHNOLOGY


The metal detector casing is made from next-generation technical polymers. These plastics offer high chemical resistance and mechanical strength ensuring a long detector life even in heavy duty conditions.

#### M ADVANCED ALARM INDICATION

The alarm signalling modes include: optical alarm proportional to the intensity of the detection signal; acoustic alarm with a tone which is proportional to the size of the object detected; vibration alarm signal.


#### Fully Programmable Signaling

- Proportional, High Loudness Acoustic Alarm
- Proportional, High Brightness Optical Alarm
- Vibration Alarm for Discrete Screening





Optical indication proportional to the metal signal strength (Low, Medium, High)



n

**P** 



## **Specifications**

POWER SUPPLY	2x AA size alkaline or NiMH rechargeable batteries			
FULLY CUSTOMIZABLE CONTROL PANEL	Optical, acoustic and vibration alarm modes			
	3-level sensitivity selection buttons			
BATTERY	Battery life: 100 + hours continuous service (AA alkaline batteries)			
	Low battery indicator			
OPERATING TEMPERATURE	-40°C to 70°C			
STORAGE TEMPERATURE	-40°C to 80°C			
RELATIVE HUMIDITY	0 to 98% (without condensation)			
DIMENSIONS	360 mm x 80 mm x 40 mm			
WEIGHT	390 g (with battery)			
COLOR	Light grey RAL 7040			
MANUFACTURED IN GREY SHOCK-RESISTANT TECHNICAL POLYMERS				
COMPLIANCE	Conforms to the NIJ 0602.02 Standard and the NIJ 0602.03 Draft for metal detection			

Conforms to the international standards currently applicable for safety, EMC and to the applicable CE regulations

## **Shipping Information**

 PACKAGE DIMENSIONS
 410 mm x 70 mm x 125 mm (LxDxH)

 PACKAGE WEIGHT
 550 g

#### **Ordering Information**

PD140E: part # PD140E

- 1100.31

# Part Lis	st
------------	----

 PD140E Hand Held Metal Detector (batteries not included)

2 Wrist strap

3 Quick Reference Guide

4 Package



#### Accessories

NIJ 0602.02 Test Pieces Kit

(part # NIJ HHMD-0602.02)

Includes 11 test objects for LO, MO, SO, VSO security levels. Test pieces are manufactured according to NIJ 0602.02 specifications and electromagnetically certified.



Belt Holster (part # 64614)

> T<mark>est Sample</mark> (part # 61256)



AA size Alkaline Batteries (part # 64681)

#### **PD140E** New Generation Compact Hand Held Metal Detector

## HHMD-6: Six Hand Held Metal Detector set

### **FEATURES**

- Fast deployment of six HHMDs set
- Minimum space requirement for multiple HHMDs transport
- Lightweight and robust construction
- Alkaline batteries and test pieces included
- Size compliant with requirement for transport in air carries cabins
- Weather-Resistant

## **APPLICATIONS**

- Special Forces
- Police, Army
- High mobility applications





W

W

Zona Industriale 54/G, 52041 Viciomaggio - Arezzo (ITALY) Tel.: +39 0575 4181 Fax: +39 0575 418298 E-mail: infosecurity@ceia-spa.com

а

n e

**P** 

C.



Ordering information					
Six Hand Held Metal Detector set part # HHMD-6/P			5/PD140E		
Set general features					
External dimensions (mm) 425 x 190 x 300 (V			00 (WxDxH)		
Weight (including Detectors) 3,8		3,8 kg			
#	Part List		Qty		
1	PD140E Hand Held Metal Detectors		6		
2	NIJ compliant Calibration Test Piece		2		
3	Alkaline Batteries		12 (24)*		
4	Quick Reference Guide		1		
5	Carry Bag		1		
* Upon request					

W